



SAFETY DATA SHEET

Product Name **BLACK LIQUID UNDERGLAZE**

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name NORTHCOTE POTTERY SUPPLIES PTY LTD
Address 142 - 144 Weston Street, Brunswick East, VIC, AUSTRALIA, 3057
Telephone (03) 9387 3911
Fax (03) 9387 4011
Emergency (03) 9387 3911
Email npsupplies@bigpond.com
Synonym(s) UG18
Use(s) CERAMIC PIGMENT • COLOURANT • UNDERGLAZE
SDS Date 09 Feb 2010

2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA

RISK PHRASES

R43 May cause sensitisation by skin contact.
R50 Very toxic to aquatic organisms.

SAFETY PHRASES

S2 Keep out of reach of children.
S24 Avoid contact with skin.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
S37/39 Wear suitable gloves and eye/face protection.
S61 Avoid release to the environment. Refer to special instructions / safety data sheets.

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No.	None Allocated	DG Class	None Allocated	Subsidiary Risk(s)	None Allocated
Packing Group	None Allocated	Hazchem Code	None Allocated	EPG	None Allocated

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
CALCIUM CHLORIDE ANHYDROUS	Ca-C12	10043-52-4	0.375%
1,2-BENZISOTHIAZOLIN-3-ONE	C7-H5-N-O-S	2634-33-5	0.0425-0.0575%
SODIUM HYDROXIDE	Na-OH	1310-73-2	0.0125-0.0375%
WATER	H2O	7732-18-5	53.6%
KAOLIN	H2-Al2-Si2-O8.H2O	1332-58-7	30.975%
C.I. PIGMENT BLACK 27	Not Available	68186-97-0	<8.6%
SILICA, AMORPHOUS	Si-O2	7631-86-9	<8.6%
FRITS, CHEMICALS	Not Available	65997-18-4	5.6%
SODIUM CARBOXYMETHYL CELLULOSE	C28-H30-O27.Na8	9004-32-4	0.6%

4. FIRST AID MEASURES

Eye	If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a doctor.
Ingestion	For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.
Advice to Doctor	Treat symptomatically

5. FIRE FIGHTING MEASURES

Flammability	Non flammable. May evolve toxic gases (carbon/ nitrogen/ sulphur oxides, chlorides, hydrocarbons) when heated to decomposition.
Fire and Explosion	Treat as per requirements for Surrounding Fires: Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.
Extinguishing	Prevent contamination of drains or waterways.
Hazchem Code	None Allocated

6. ACCIDENTAL RELEASE MEASURES

Spillage	Contact emergency services where appropriate. Use personal protective equipment. Clear area of all unprotected personnel. Ventilate area where possible. Contain spillage, then cover / absorb spill with non-combustible absorbant material (vermiculite, sand, or similar), collect and place in suitable containers for disposal. Eliminate all ignition sources.
-----------------	--

7. STORAGE AND HANDLING

Storage	Store in a cool, dry, well ventilated area, removed from moisture, oxidising agents, alkalis, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.
Handling	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.


8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds	Ingredient	Reference	TWA		STEL	
			ppm	mg/m3	ppm	mg/m3
	Kaolin (Inspirable dust)	ASCC (AUS)	--	10	--	--
	Kaolin (Respirable dust)	ASCC (AUS)	--	2	--	--
	Fumed silica (respirable dust)	ASCC (AUS)	--	2	--	--
	Sodium hydroxide (peak limitation)	ASCC (AUS)	--	2	--	--

Biological Limits No biological limit allocated.

Engineering Controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

PPE Wear splash-proof goggles, rubber or PVC gloves and coveralls. Where an inhalation risk exists, wear: a Type AB (Organic and Inorganic gases/vapours) respirator.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	LIQUID	Solubility (Water)	INSOLUBLE
Odour	ODOURLESS	Specific Gravity	NOT AVAILABLE
pH	NOT AVAILABLE	% Volatiles	NOT AVAILABLE
Vapour Pressure	NOT AVAILABLE	Flammability	NON FLAMMABLE
Vapour Density	NOT AVAILABLE	Flash Point	NOT RELEVANT
Boiling Point	NOT AVAILABLE	Upper Explosion Limit	NOT RELEVANT
Melting Point	NOT AVAILABLE	Lower Explosion Limit	NOT RELEVANT
Evaporation Rate	NOT AVAILABLE		

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under recommended conditions of storage.
Conditions to Avoid	Avoid heat, sparks, open flames and other ignition sources.
Material to Avoid	Incompatible with oxidising agents (eg. hypochlorites), alkalis (eg. hydroxides), heat and ignition sources.
Decomposition	May evolve toxic gases (carbon/ nitrogen/ sulphur oxides, chlorides, hydrocarbons) when heated to decomposition.
Hazardous Reactions	Polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary	Low to moderate toxicity - irritant. This product has the potential to cause adverse health effects with over exposure. Use safe work practices to avoid eye or skin contact and inhalation. This product may result in eye or skin irritation with direct contact. Upon dilution, the potential for adverse health effects may be reduced. May cause sensitisation by skin contact.
Eye	Irritant. Contact may result in irritation, lacrimation, pain and redness.
Inhalation	Irritant. Over exposure may result in irritation of the nose and throat, with coughing.
Skin	Irritant. Contact may result in irritation, redness and rash. May cause sensitisation by skin contact.
Ingestion	Low to moderate toxicity. Ingestion may result in gastrointestinal irritation, nausea, vomiting, abdominal pain and diarrhoea.
Toxicity Data	CALCIUM CHLORIDE ANHYDROUS (10043-52-4) LD50 (Ingestion): 1000 mg/kg (rat) LD50 (Intraperitoneal): 210 mg/kg (mouse) LD50 (Intravenous): 42 mg/kg (mouse) LD50 (Subcutaneous): 823 mg/kg (mouse) LDLo (Ingestion): 1384 mg/kg (rabbit) LDLo (Intravenous): 150 mg/kg (guinea pig) LDLo (Subcutaneous): 249 mg/kg (cat) TDLo (Intravenous): 20 mg/kg/1 hour (woman) 1,2-BENZISOTHIAZOLIN-3-ONE (2634-33-5) LD50 (Ingestion): 1020 mg/kg (rat) SODIUM HYDROXIDE (1310-73-2) LD50 (Intraperitoneal): 40 mg/kg (mouse) LDLo (Ingestion): 1.57 mg/kg (human) SILICA, AMORPHOUS (7631-86-9) LD50 (Ingestion): 3160 mg/kg (rat) SODIUM CARBOXYMETHYL CELLULOSE (9004-32-4) LD50 (Ingestion): 16000 mg/kg (guinea pig) LD50 (Skin): > 2000 mg/kg (rabbit) TDLo (Ingestion): 140 mg/kg (rat)

12. ECOLOGICAL INFORMATION

Environment	Isothiazolinones are used as industrial microbiocides, indicating a high degree of toxicity to aquatic microorganisms.
-------------	--

13. DISPOSAL CONSIDERATIONS

Waste Disposal	For small amounts absorb with lime and dispose of to approved landfill site. For larger amounts, return to the manufacturer or contact the manufacturer for additional information.
----------------	---

Product Name **BLACK LIQUID UNDERGLAZE**

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name	None Allocated				
UN No.	None Allocated	DG Class	None Allocated	Subsidiary Risk(s)	None Allocated
Packing Group	None Allocated	Hazchem Code	None Allocated	EPG	None Allocated

15. REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information ISOTHIAZOLONES 1: Isothiazolone compounds are broad spectrum antimicrobial agents used in cosmetics in concentrations of 3 to 15 ppm. They are used industrially as slimicides in latex emulsions, cooling tower water, metal-working fluids, oil-field drilling muds, and in paper mills. Corrosive to eyes in concentrations of 1.5% or greater-corrosive effects may be delayed. Irritant at concentrations of 0.3% or greater. Non-irritating at 0.06% - irritant effects may be delayed.

ISOTHIAZOLONES 2: Maternal and fetal deaths but no teratogenicity were observed in rabbits and rats given 1.5 to 15 mg/kg. The concentration required to produce detectable mammalian cell mutations was 0.3 ppm. To reach these levels in testicular tissue in a 70 kg man, exposure to 21 mg would be required.

ABBREVIATIONS:

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European INventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m³ - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances.

TWA/ES - Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Report Status This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss,

Page 4 of 5

RMT

CHEM ALERT

Reviewed: 09 Feb 2010

Printed: 09 Feb 2010

Product Name **BLACK LIQUID UNDERGLAZE**

injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared By Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmt.com.au
Web: www.rmt.com.au

SDS Date: 09 Feb 2010

End of Report